


# Universal Charger



Instruction Manual

iiglo®

## Introduction

90W Type-C Power Adapter offers efficient and fast charging for Laptops and mobile devices such as Smartphones and Tablet PCs equipped with USB-C port. USB Power Delivery technology automatically detects the connected device and delivers the exact power required for fastest possible charging. USB Type-C 1.8 meters charging cable is fixed.

## Features

- USB Type-C wall charger with EU plug
- Compatible with MacBook, Notebook, Tablet, Smartphone
- Supports new generation USB-C devices
- USB Power Delivery technology built-in

- Short-circuit, over voltage, over current and over temperature Protection for safe use
- Input: AC 110-240V, 50/60Hz
- Output:DC 5V=3A, 9V=3A, 12V=3A, 15V=3A, 19V=4.5A, 20V=4.5A
- Extra USB-A port: DC5V 2.4A max
- 90W Max output
- USB Type-C 1.8 meters charging cable

## Package content

- USB Type-C Power Adapter
- User's manual

## Instructions of use

1. Insert the Type-C power cable into the power socket of your notebook or other USB-C device.
2. Plug the power adapter into the wall outlet

Note: This power adapter is compatible with Type-C devices requiring 90W or less. This product will not charge Type-C devices exceeding 90W.

## Safety information

- This device is intended for indoor use only.
- Keep away from direct sunlight, high temperatures, liquids or extreme humidity.
- Keep out of reach of children.

- Be sure to connect only devices which require a power less than or equal to 90 watts.
- Make sure the wall outlet is supplying the same type of power source indicated on the device with regard to the voltage (V) and frequency (Hz).
- Before use, check that the device, the power cable and the wall outlet are not damaged in any way.
- Make sure that the device is not placed on surfaces sensitive to heat and that the adapter has sufficient ventilation.

Model no: II-UC005W



Imported by iiglo  
Østre Kullerød 4,  
N-3241 Sandefjord  
Norway | [www.iiglo.com](http://www.iiglo.com)  
Made in China

**iiglo**<sup>®</sup>